

For More Questions [Click Here](#)

Question No. 01

Cast iron piles

- (A) Are suitable for works under sea water
- (B) Resist shocks or vibrations
- (C) Are suitable for use as batter piles
- (D) Are useful for heavy vertical loads

Answer: Option D

Question No. 02

The form work from the slabs excluding props, can be removed only after

- (A) 1 day
- (B) 4 days
- (C) 7 days
- (D) 14 days

Answer: Option B

Question No. 03

The process of filling hollow spaces of walls before plastering, is known

- (A) Hacking
- (B) Dubbing out
- (C) Blistering
- (D) Peeling

Answer: Option B

Question No. 04

The type of arch generally constructed over a wooden lintel or over a flat arch for the purpose of carrying the load of the wall above is

- (A) Segmental arch
- (B) Pointed arch
- (C) Relieving arch

(D) Flat arch

Answer: Option C

Question No. 05

The platform at the end of a series of steps, is known as

(A) Platform

(B) Relief

(C) Rest

(D) Landing

Answer: Option D

Question No. 06

The pile which supports the load due to friction between pile face and surrounding soil, is generally known as

(A) Bearing pile

(B) Friction pile

(C) Sheet pile

(D) Battered pile

Answer: Option B

Question No. 07

Pick up the correct statement from the following:

(A) A mortar joint having a concave finishing in brick masonry, is called keyed joint

(B) A mortar joint projecting beyond the face of a masonry wall, is called tucked joint

(C) A mortar joint having a recess in it, is called ruled joint

(D) All the above

Answer: Option D

Question No. 08

The type of roof which slopes in two directions with a break in the slope on each side is known as

(A) Gable roof

(B) Hip roof

(C) Gambrel roof

(D) Mansard roof

Answer: Option C

Question No. 09

The inclined surface of an abutment to receive the arch, is known as

- (A) Skew back
- (B) Soffit
- (C) Spandril
- (D) Haunch

Answer: Option A

Question No. 10

Pick up the correct statement from the following:

- (A) D.P.C. should be continuous
- (B) D.P.C. should be of good impervious material
- (C) D.P.C. may be horizontal or vertical
- (D) All the above

Answer: Option D